
SOUTHERN STOVE WORKS

INCORPORATED

**TIP TOP
STOVES RANGES
HEATERS AND
CIRCULATORS . .**

**CATALOG
No. 37**

RICHMOND, VIRGINIA

To The Trade

We are pleased to present this Catalog Number 37 to our customers and friends.

You will note that we have adopted new styling on ranges, departing from the conventional type. TIP TOP Ranges now harmonize with modern Kitchen Equipment.

Attention is called to the new idea in coal burning heaters lined with Vitrified Clay brick. TIP TOP Circulator and TIP TOP Hot Blasts (brick lined) are leaders.

Our geographical location enables us to serve you quickly and economically as railroads, boats and truck lines make favorable rates and prompt delivery.

To our customers we express our appreciation for their past patronage, and we now offer to them and to those whom we hope to make our friends, this catalog—a guide to satisfactory stove buying and larger profits.

SOUTHERN STOVE WORKS, INC.,
E. J. BURKE, *President*,
Sixth Street and Dinwiddie Avenue,
Richmond, Virginia.

Tip Top Cabinet Range

We present the new line of TIP TOP Cabinet Ranges of the very latest design in coal and wood burning cast-iron ranges. Trimmed with heavy steel Porcelain Enameled, with polished main cooking tops. Made in several styles.

NOTE THESE SPECIAL FEATURES ON No. 2820:

REVEALED COOKING: Oven door fitted with heat resistant glass window. You can see the food "cooked to a turn." Without opening the door you can see when the roast is done. You can see when the cake has reached the exact shade of brown you like. No more guessing, food always in sight.

MODERN CABINET BASE: This feature is entirely new on coal and wood ranges, it displaces the old type stove legs.

SERVICE DRAWER: A spacious service drawer is installed in cabinet base of range. You may now keep needed cooking utensils at hand. This convenience saves miles of walking in a year.

ELECTRIC LAMP: An attractive electric lamp enameled white, chrome trim, gives light while cooking.

UTILITY COMPARTMENT: A utility compartment for warming dishes is available if hot water reservoir is not required.

HOT WATER: Hot water may be had in connection with water lines. A powerful water front for this purpose may be installed in fire box.

COOKING SPACE: A large polished top with plenty of work space between the cooking utensils. Food may be transferred from pan to platter easily. No crowding.

OVEN: Eighteen-inch standard, large enough to roast a twenty-pound turkey or bake four pies at once.

TRIM: The gleaming white porcelain finish is beautiful, durable, and delightfully easy to keep clean.

NEW STYLING: The simple beauty of this range will harmonize with the newer kitchen equipment.

• SOUTHERN STOVE WORKS INC., RICHMOND, VIRGINIA •



TIP TOP CABINET

Balanced Cast Range

No. 2820


•
BURNS
COAL
OR
WOOD
•

"The Door with a Window"

No. 2820 TIP TOP CABINET BALANCED CAST RANGE.

Full White Porcelain Enameled. Polished Top. Glass Window. Electric Lamp. Water Front or Reservoir can be furnished.

No.	Collar Ins.	Oven Ins.	Top Ins.	Fire Box Ins.	Covers	Service Drawer Ins.	Weight Lbs.
2820	7	18x18x12	24x40½	Wood—21½x8x7 Coal —17 x8x7	6-8 in.	16x17x7½	440



TIP TOP CABINET

Square Cast Range

No. 2821

•
BURNS
COAL
OR
WOOD
•

No. 2821 TIP TOP CABINET SQUARE CAST RANGE.

Full White Porcelain Enameled. Polished Top. Can be furnished also with Splasher or High Closet instead of High Shelf. Water Front can be furnished.

No.	Collar Ins.	Oven Ins.	Top Ins.	Fire Box Ins.	Covers	Service Drawer Ins.	Weight Lbs.
2821	7	18x18x12	24x34	Wood—21½x8x7 Coal —17 x8x7	6-8 in.	16x17x7½	415



TIP TOP CABINET

Balanced Cast Range

No. 2822

•
BURNS
COAL
OR
WOOD
•

No. 2822 TIP TOP CABINET BALANCED CAST RANGE.

Full White Porcelain Enameled. Polished Top. Can be furnished also with Splasher or High Closet instead of High Shelf. Water Front or Reservoir can be furnished.

No.	Collar Ins.	Oven Ins.	Top Ins.	Fire Box Ins.	Covers	Service Drawer Ins.	Weight Lbs.
2822	7	18x18x12	24x40½	Wood—21½x8x7 Coal —17 x8x7	6-8 in.	16x17x7½	485



TIP TOP MODEL
Square Cast Range

No. 2811

BURNS
COAL
OR
WOOD

No. 2807 TIP TOP MODEL.

Same as No. 2811 except Full
Porcelain Enameled.
Base: Synthetic Enamel.

No. 2811 TIP TOP MODEL SQUARE CAST RANGE.

White Semi-Porcelain Enameled. Base: Synthetic Enamel baked on.
Polished Top. Water Front and High Shelf can be furnished.

No.	Collar Ins.	Oven Ins.	Top Ins.	Covers	Fire Box Ins.	Weight Lbs.
2811	7	18x18x12	24x38½	6-8 in.	Wood—21½x8x7 Coal —17 x8x7	455

• SOUTHERN STOVE WORKS INC., RICHMOND, VIRGINIA •



TIP TOP MODEL
Balanced Cast Range

No. 2812

•
BURNS
COAL
OR
WOOD
•

No. 2816 TIP TOP MODEL.

Same as No. 2812 except Full
Porcelain Enameled.

Base: Synthetic Enamel.

No. 2812 TIP TOP MODEL BALANCED CAST RANGE.

White Semi-Porcelain Enameled. Base: Synthetic Enamel baked on.
Polished Top. Galvanized Reservoir. Water Front and High Closet
can be furnished.

No.	Collar Ins.	Oven Ins.	Top Ins.	Covers	Fire Box Ins.	Weight Lbs.
2812	7	18x18x12	24x40½	6-8 in.	Wood—21½x8x7 Coal —17 x8x7	480



TIP TOP MODEL

Square Cast Range

No. 2800

•
BURNS
COAL
OR
WOOD
•

No. 2800 TIP TOP MODEL SQUARE CAST RANGE.

White Porcelain Enameled Steel Panel Doors. Plain Finish, Plain Top, Plain Splasher. Water Front and High Shelf can be furnished.

No.	Collar Ins.	Oven Ins.	Top Ins.	Covers	Fire Box Ins.	Weight Lbs.
2800	7	18x18x12	24x38½	6-8 in.	Wood—21½x8x7 Coal —17 x8x7	455

• SOUTHERN STOVE WORKS INC., RICHMOND, VIRGINIA •



TIP TOP MODEL
Balanced Cast Range

No. 2808

BURNS
COAL
OR
WOOD

No. 2808 TIP TOP MODEL BALANCED CAST RANGE.

White Porcelain Enameled Steel Panel Doors. Plain Finish, Plain Top, Plain Splasher. Galvanized Reservoir. Water Front and High Shelf can be furnished.

No.	Collar Ins.	Oven Ins.	Top Ins.	Covers	Fire Box Ins.	Weight Lbs.
2808	7	18x18x12	24x40½	6-8 in.	Wood—21½x8x7 Coal —17 x8x7	500

• SOUTHERN STOVE WORKS INC., RICHMOND, VIRGINIA •



TIP TOP MODEL

Square Cast Range

No. 1809

•
BURNS

COAL

OR

WOOD
•



No. 1809 — With High Shelf

No. 1809 TIP TOP MODEL SQUARE CAST RANGE.

Semi-Enameled Green-Ivory. Polished Top. Water Front
can be furnished.

No.	Collar Ins.	Oven Ins.	Top Ins.	Covers	Fire Box Ins.	Weight Lbs.
1809	7	18x18x12	24x38½	6-8 in.	Wood—21½x8x7 Coal —17 x8x7	455

• SOUTHERN STOVE WORKS INC., RICHMOND, VIRGINIA •

TIP TOP MODEL

Balanced Cast Range

No. 1810

•
BURNS
COAL
OR
WOOD
•



No. 1810 With High Shelf

No. 1810 TIP TOP MODEL BALANCED CAST RANGE.

Semi-Enameled Green-Ivory. Polished Top. Galvanized Reservoir.
Water Front can be furnished.

No.	Collar Ins.	Oven Ins.	Top Ins.	Covers	Fire Box Ins.	Weight Lbs.
1810	7	18x18x12	24x40½	6-8 in.	Wood—21½x8x7 Coal —17 x8x7	500

TIP TOP MODEL

Square Cast Range

No. 1800

BURNS
COAL OR WOOD



No. 1800 — With High Shelf



No. 1800 — Range only

No. 1800 TIP TOP MODEL SQUARE CAST RANGE.

Plain Finish, Ivory Porcelain Panels. Plain Splasher.
Water Front can be furnished.

No.	Collar Ins.	Oven Ins.	Top Ins.	Covers	Fire Box Ins.	Weight Lbs.
1800	7	18x18x12	24x38½	6-8 in.	Wood—21½x8x7 Coal —17 x8x7	445

• SOUTHERN STOVE WORKS INC., RICHMOND, VIRGINIA •

TIP TOP MODEL

Balanced Cast Range

No. 1808

BURNS
COAL OR WOOD



No. 1808 — With High Closet



No. 1808 — Range only

No. 1808 TIP TOP MODEL BALANCED CAST RANGE.

Plain Finish, Ivory Porcelain Panels. With Galvanized Reservoir. Water Front can be furnished.


No.	Collar Ins.	Oven Ins.	Top Ins.	Covers	Fire Box Ins.	Weight Lbs.
1808	7	18x18x12	24x40½	6-8 in.	Wood—21½x8x7 Coal —17 x8x7	480

TIP TOP BEAUTY
and
TIP TOP PERFECT
STEEL RANGES

No. 6818



No. 6818 Tip Top Beauty
With High Closet



No. 6818 Tip Top Perfect
With High Closet

No. 6818 TIP TOP BEAUTY AND TIP TOP PERFECT STEEL RANGES

Bodies built of Blue Steel, Electrically Welded. Fire Box equipped with heavy ventilated cast linings and Duplex Grates. Regular Cast Iron Range Top. Can be furnished with Copper or Galvanized Reservoir.

No.	Collar Ins.	Oven Ins.	Top Ins.	Fire Box Ins.	Covers	Weight Lbs.
6818	7	18x20x12	41x28	20x8½	6-8 in.	385
6818-Res.	7	18x20x12	47x28	20x8½	6-8 in.	400

• SOUTHERN STOVE WORKS INC., RICHMOND, VIRGINIA •



TIP TOP STEEL
PLATE RANGE

No. 68-16

BURNS
COAL
OR
WOOD

No. 68-16 With High Closet

No. 68-16 TIP TOP STEEL PLATE RANGE.

Splasher, High Closet Door, Fire Door and Oven Door Panels are Porcelain Enameled. Cast-Iron Front Skirt and Front Legs are Synthetic Enameled. Furnished with Galvanized Reservoir with White Porcelain Enameled Panel in Front. Water Coil can be furnished.

No.	Collar Ins.	Oven Ins.	Top Ins.	Covers	Fire Box Ins.	Weight Lbs.
68-16	6	16x16x11	20½x33½	6-8 in.	Wood—7½x7½x18 Coal —7½x7½x12½	265



High Shelf

TIP TOP CABINET

Steel Plate Range

No. 16-CB

BURNS

COAL

OR

WOOD

No. 16-CB TIP TOP CABINET STEEL PLATE RANGE

White Porcelain Enameled Trim as Shown. Body and Oven Built of Heavy Steel Plate. Duplex grate and Heavy Sectional Cast linings. Can be furnished with High Closet, Galvanized Reservoir or Water Coil.

No.	Collar Ins.	Oven Ins.	Top Ins.	Covers	Fire Box Ins.	Weight Lbs.
16-CB	6	16x16x11	20½x33½	6-8 in.	Wood—7½x7½x18 Coal —7½x7½x12½	265

• SOUTHERN STOVE WORKS INC., RICHMOND, VIRGINIA •



TIP TOP CABINET

Steel Plate Range

No. 16-CBR

BURNS

COAL

OR

WOOD

High Closet and Galvanized Reservoir

No. 16-CBR TIP TOP CABINET STEEL PLATE RANGE.

White Porcelain Enameled Trim as Shown. Body and Oven Built of Heavy Steel Plate. Duplex grate and Heavy Sectional Cast linings. Can be furnished with High Shelf and Water Coil.

No.	Collar Ins.	Oven Ins.	Top with Reservoir Ins.	Covers	Fire Box Ins.	Weight Lbs.
16-CBR	6	16x16x11	20½x37	6-8 in.	Wood—7½x7½x18 Coal —7½x7½x12½	300

Tip Top Cook Stoves



Tip Top Congress

TIP TOP CONGRESS

For Coal or Wood

The very latest in a high-grade, moderately priced, square-oven cook stove. In construction this stove has a large pouch feed, duplex grates, and a low hearth with sliding cover, revealing a large, easily accessible ash pit. Supplied with or without reservoir on No. 8-18.

No.	Collar Ins.	Oven Ins.	Height Ins.	Top with Shelf Ins.	Fire Box Inches		Weight Lbs.
					Wood	Coal	
8-16	6	16x16	29	27 x 23 1/4	18	16	235
8-18	7	18x18	30	36 1/2 x 25 1/2	20	18	270

TIP TOP SUCCESS

For Wood Only

For an inexpensive yet efficient wood stove the SUCCESS is recommended. It cooks and bakes perfectly.

No.	Collar Ins.	Oven Ins.	Top with Shelf Ins.	Fire Box Ins.	Weight Lbs.
7	6	14 1/2 x 14 x 9 1/2	19 1/2 x 29 1/4	17 1/2	150
8	6	14 1/2 x 14 x 9 1/2	21 1/2 x 29 1/4	17 1/2	165



Tip Top Success



Tip Top Baker

TIP TOP BAKER

For Wood Only

A large and well-built stove. A spacious square oven, large pit, a shaking basket grate, large flues and cut long center makes this a satisfactory and popular stove for wood.

No.	Oven Ins.	Top with Shelf Ins.	Fire Box Ins.	Weight Lbs.
7-15-B	14 3/4 x 14 1/2	20 1/4 x 29 3/4	15	160
8-15-B	14 3/4 x 14 1/2	21 3/4 x 30 1/2	15	170
8-17-B	16 3/4 x 16 1/2	21 3/4 x 31 1/2	17	185
8-19-B	18 3/4 x 18 1/2	23 3/4 x 33 1/2	19	225

Size of Pipe Collar: 6 inches.

Can also be furnished for coal—all sizes.


The Inside Story

Brick Lined TIP TOP Circulating Heaters

Air-tight ✓ Gas-tight ✓ Dust-proof ✓ Compact
Durable ✓ Economical

*A heavy boiler-plate Steel Inner Unit, lined with
Vitrified Fire Brick.*

- A. The base is rigidly constructed of angle steel.
- B. Heavy steel spanners supporting inner unit are riveted and welded to base.
- C. Main combustion body is made of heavy steel, joints electrically welded.
- D. The heavy cast dome is bolted and cemented to steel body.
- E. The chutes are welded to body.
- F. Two bolts release locking cast-iron plates, permitting replacement to fire linings through feed door.
- H. Cast-iron swinging curtain prevents puffing when refueling.
- J. Down draft damper, which, properly regulated saves one-third on fuel.



Steel and Brick are Better

Cast-iron melts at approximately 2,000° (degrees), but warping and oxidation begin at 1,400° (degrees). Fire Brick linings withstand temperatures up to 3,000° (degrees).


TIP TOP Circulator ranks among the most popular in the field from satisfied owners' standpoint. Almost indestructible, efficient and economical.



GRATE ASSEMBLY

Three heavy bar grates, connected by cogs, make movement easy.

Fastened with cotter pins, instead of bolts. Replacement can be made through ash door. No dismantling required.



High temperatures destroy cast-iron units. Insist on Brick linings.

TIP TOP CIRCULATOR

Two-Tone Walnut; Porcelain
Enameled.

Base: Black Synthetic Enamel baked on.

Inner Unit Boiler Plate Steel
Electrically Welded.

Hot Blast Draft System.

Two Sizes.

BRICK LINED



Height (over all)
Width
Depth
Feed Door
Ash Door
Fire Pot (inside brick)
Fire Pot Depth (top of brick to grate surface)
Fire Pot Depth (under door)
Vitrified Brick Sections
Humidifier
Pipe Collar
Shipping Weight

No. B-2-3
2 to 3 Rooms
40½ in.
23¾ in.
17½ in.
12½ x 8¾ in.
9 x 7¾ in.
(Round) 11 in.
14 in.
9 in.
6
one
6 in.
255 lbs.

No. B-4-5
4 to 5 Rooms
44½ in.
25¾ in.
19½ in.
12½ x 8¾ in.
9 x 7¾ in.
(Oval) 10¼ x 17 in.
13 in.
9 in.
8
one
7 in.
345 lbs.

TIP TOP CIRCULATOR

Heavy Cast Inner Unit.

Extra heavy ribbed Cast-Iron Fire Pot.

Tight Fitting Doors.

Duplex Grates.

Hot Blast Tube. Sagless Hinges.

Cast-Iron Front and Top.

Porcelain Enameled.

Base: Synthetic Enameled.

Two Sizes.



Height (over all)
Width
Depth
Fire Door
Ash Door
Fire Pot
Depth of Ash Pit
Pipe Collar
Shipping Weight

No. 117
42½ in.
23 in.
17 in.
12¼ x 8 in.
12¼ x 6¾ in.
16 x 10 x 6½ in.
7 in.
7 in.
300 lbs.

No. 119
44½ in.
25 in.
18 in.
14¼ x 8¾ in.
14¼ x 6¾ in.
18 x 10 x 7½ in.
7 in.
7 in.
340 lbs.

• SOUTHERN STOVE WORKS INC., RICHMOND, VIRGINIA •

TIP TOP HOT BLAST

STANDARD OF COMPARISON

BRICK LINED

Front Feed Door. Dustless Ash Door. Reversible Pipe Collar. Blast Tube. Ash Pan. Anti-Clinker Grate.



Vitrified
Fire-Clay
Lining

*"Keeps Fire All Night . . .
Makes the Coal Pile Last."*

No.	Collar Ins.	Diameter Ins.	Height Ins.	Weight Lbs.
314	6	12	36	120
316	6	14	38	150
319	7	17	43	205

TIP TOP HOT BLAST

CAST IRON LINED

Front Feed Door. Dustless Ash Door. Reversible Pipe Collar. Blast Tube. Ash Pan. Anti-Clinker Grate.

No.	Collar Ins.	Size of Body	Height Ins.	Weight Lbs.
012	5	Low Type	29½	90
212	5	12 in.	34	100
214	6	14x12 in.	35	120
216	6	16x14 in.	38	145
218	6	18x16 in.	41	180




200 Series

TIP TOP ETNA

For Coal

TIP TOP ETNA is built entirely free from carving along straight, modern lines. The body is of extra heavy-gauge polished rust-resisting steel. Ash pit is roomy and contains a large ash pan. Draw center grate, round reversible pipe collar and dustless shaker door.

No.	Collar Ins.	Diameter Ins.	Weight Lbs.
210	5	10	85
212	6	12	105
214	6	14	130
217	7	17	185




TIP TOP RICHMOND

For Hard or Soft Coal

TIP TOP RICHMOND (open fireplace type) heater is of smooth design. Has two removable doors. Large deep fire chamber, dumping grate, controlled from outside; heavy fire brick linings and cast iron deflector.

No.	Collar Ins.	Height Ins.	Fire Chamber		Weight Lbs.
			Width Ins.	Depth Ins.	
212	6	33	12	10	150
214	6	35	14	11	165
216	6	37	16	12	210

• SOUTHERN STOVE WORKS INC., RICHMOND, VIRGINIA •




Iron King



TIP TOP IRON KING

No.	Collar Ins.	Diameter Ins.	Height Ins.	Grate Surface Ins.	Weight Lbs.
121	4½	10½	28¾	7¼	102
124	5	12	30	8¾	122
128	5½	14¼	34	10¼	173
132	6	16	36	12	225

Top Steel Drum can be furnished on No. 132



TIP TOP BRAVO

For Coal

No.	Collar Ins.	Diameter Ins.	Height Ins.	Weight Lbs.
8	4	10	26½	55
9	5	11	28½	65
10	6	12	30½	80
11	6	13	33	100

TIP TOP TIDEWATER

For Hard or Soft Coal — Without Drum

No.	Collar Ins.	Diameter Ins.	Height Ins.	Weight Lbs.
22	6	14	40	155
24	6	16	45	210
26	7	20	50	270

Top Steel Drum can be furnished. All sizes.

• SOUTHERN STOVE WORKS INC., RICHMOND, VIRGINIA •



TIP TOP LAUNDRY

The design is smooth and constructed to heat eight irons. It has two 8-inch holes on top, a large pouch feed door, an ample ash box, and a shaking draw-center grate. Legs are securely bolted to the bottom. Round reversible pipe collar.

No.	Collar Ins.	Height Ins.	Diameter Ins.	Top Ins.	Weight Lbs.
112	6	25	11	20x14	100

TIP TOP BOX

All Cast-Iron Wood Heater

The TIP TOP Box Heaters are smooth design. Swing top.

No.	Collar Ins.	Length Ins.	Covers	Weight Lbs.
120	6	18	1-7 in.	80
123	6	21	1-7 in.	95
126	6	24	2-7 in.	115
130	6	28	2-8 in.	140
134	6	32	2-8 in.	175



For Hot Water

TIP TOP TANK HEATER


A good substantial Tank Heater. Jacket thoroughly tested. Will heat a domestic boiler and keep it hot with very little fuel.

No.	Collar Ins.	Height Ins.	Diameter Ins.	Top Ins.	Weight Lbs.
112	6	25	10	20x14	130

Round Reversible Pipe Collar.



• SOUTHERN STOVE WORKS INC., RICHMOND, VIRGINIA •



No. 18

No. 21

No. 24

TIP TOP PLANET

(No. 27 — Not Shown)

AIR-TIGHT WOOD HEATER

Down Draft Pipe. Safe, efficient. Made of heavy blue steel. Reinforced with heavy sheet steel lining.

Cast-Iron Parts: Draft Elbow, Top Ring, Flat Cover, Swing Top, Down-Draft Damper, Inside Draft Plate, Feet. Back Collar (an extra).

No.	Collar Ins.	Length Ins.	Width Ins.	Height Ins.	Wood Opening Ins.	Weight Lbs.
18	5	18	12½	24½	10	40
21	5	21	13¼	28½	10	45
24	6	24	16	30¼	12	56
27	6	27	21	41	12	85

TIP TOP AIR-TIGHT HEATERS

TIP TOP PEER

With Down Draft. Cast Top. Cast Bottom. Round Reversible
Pipe Collar. Body: Blue Steel. Heavy Sheet Lining.

No.	Collar Ins.	Size of Body Ins.	Height Ins.	Top Wood Opening Ins.	Weight Lbs.
120	6	18x18x 14	28	8x11	70
122	6	21x21½x15	33	10x14	82
124	6	24x24x 18	37	13x16	102



TIP TOP SUN

Flat Top. All Sheet Steel. Air-tight Heater with Flat Top.
Cast-Iron Damper Frame. Heavy Cast Legs.

No.	Collar Ins.	Length Ins.	Width Ins.	Height Ins.	Top Wood Opening Ins.	Weight Lbs.
180	6	18	12½	15	10	19
210	6	21	13½	18	10	22
240	6	24	16	23	10	28

(Always shipped with Top Collar. Furnished with Back
Collar as an extra when specified)

TIP TOP WINNER

Cast Top. Cast Bottom. Front Feed Door.
Round Reversible Pipe Collar.
Body: Blue Steel. Heavy Sheet Lining.

No.	Collar Ins.	Size of Body Ins.	Height Ins.	Top Wood Opening Ins.	Weight Lbs.
120	6	18x18x 14	28	8x11	74
122	6	21x21½x15	33	10x14	90
124	6	24x24 x18	37	13x16	105



Improved Flat Top All Steel Airtights



No. 180

No. 210

No. 240

TIP TOP STAR

Made of Mirror-Blue Polished Steel. Lined. Cast Legs lock in cleats. Nickered Screw Draft. Air-tight Seams. Air Register on Top. Packed singly in cartons.

No.		Collar Ins.	Length Ins.	Width Ins.	Height Ins.	Wood Opening Ins.	Weight Lbs.
180	Unlined	6	18	12½	15	10	10
180	Lined	6	18	12½	15	10	12
210	Lined	6	21	13½	18	10	16
240	Lined	6	24	16	23	10	21


Always shipped with Top Collars.

When Specified can also be furnished with Cast-Iron Back Collars.

RICHMOND PIPELESS FURNACE



Cut-away illustration showing construction of Heater and Double Inner Casing.



The RICHMOND PIPELESS FURNACE was designed and built by expert engineers who thoroughly understand heating requirements, and is scientifically proportioned as to the register face and heating surface to insure perfect circulation and to deliver at all times a larger volume of warm air into the rooms above.

The triple casing prevents any heat escaping into the basement which would spoil fruits or vegetables stored there. This extra large casing and register provides ample room for rapid circulation of the air which prevents drafts and overheating.

The RICHMOND PIPELESS FURNACE being scientifically constructed functions in perfect harmony with all laws of warm and cold air circulation as applied to single-register heating. In this respect it is far superior to the ordinary types of Pipeless Furnace.

RICHMOND PIPELESS FURNACE For Soft Coal, Hard Coal or Wood

Number	1138	1142	1146	1150
Diameter of Fire Pot	18 in.	21 in.	24 in.	27 in.
Depth of Fire Pot	12 in.	13 in.	14 in.	15 in.
Diameter of Smoke Collar	8 in.	8 in.	9 in.	9 in.
Diameter of Inner Casing	38 in.	42 in.	46 in.	50 in.
Diameter of Outer Casing	46 in.	51 in.	55 in.	59 in.
Lowest Height Basement	6 ft.	6 ft.	6 ft. 6 in.	7 ft.
Size of Register	30 x 30 in.	30 x 36 in.	36 x 36 in.	45 x 45 in.
Size of Feed Door	11 x 13 in.	11 x 13 in.	12 x 15 in.	12 x 15 in.
Size of Ashpit Door	10 x 15 in.	11 x 17 in.	12 x 20 in.	13 x 23 in.
Diameter Warm Air Pipe	22 in.	24 in.	28 in.	36 in.
Heating Capacity (cubic feet)	8 to 12,000	12 to 20,000	20 to 35,000	35 to 60,000
Shipping Weight	1,150 lbs.	1,400 lbs.	1,800 lbs.	2,500 lbs.

NOTE — Furnace shipped complete with casings, register face, and sufficient "extension" to install in 8-foot basement. We always ship Oxidized Register Face.

We also make Richmond Pipe Furnaces for Soft Coal, Hard Coal, or Coke.
Four Sizes: No. 138, 18 in.; No. 142, 21 in.; No. 146, 24 in.; No. 150, 27 in.

Dashill


DEALER'S NET PRICE LIST

No. 57

AUGUST 1, 1941

Applying to Catalog No. 37

TIP TOP STOVES — RANGES HEATERS — CIRCULATORS



Our Modern Plant

Sixth and Dinwiddie Avenue

TERMS

To approved Customers: Thirty (30) days net, or two per cent (2%) discount for cash in ten (10) days, from date of invoice.

All prices and quotations subject to change without notice

All agreements contingent upon strikes, accidents or other causes beyond our control

ALL PREVIOUS LISTS RECALLED

SOUTHERN STOVE WORKS, Inc.

RICHMOND, VIRGINIA

CAST IRON RANGES

TIP TOP CABINET

CATALOG PAGE NO.	NUMBER		PRICE
3	2820	Full Enameled, Glass Window, Electric Lamp	54.00
		Copper Reservoir	4.20
		Galvanized Reservoir	2.10
		Water Front	4.95
4	2821	Square, Full Enameled with Splasher	43.85
		With High Shelf	47.00
		With High Closet	49.00
		Water Front	4.95
5	2822	Balanced, Full Enameled, with Splasher	52.00
		With High Shelf	54.00
		With High Closet	57.25
		Copper Reservoir	4.20
		Galvanized Reservoir	2.10
		Water Front	4.95

TIP TOP MODEL

Full Enamel, Semi-Enamel, or Plain Finish

6	2811	Square, Semi-Enameled, Legs and Base Synthetic Enamel baked on, Polished Top with High Shelf	35.50
		With High Closet	37.75
		Water Front	4.95
6	2807	Square, Full Enameled, Legs and Base Synthetic Enamel baked on, Polished Top with High Shelf	47.00
		With High Closet	49.75
		Water Front	4.95
7	2812	Balanced, Semi-Enameled, Legs and Base Synthetic Enamel baked on, Polished Top, Galvanized Reservoir, with High Shelf	43.35
		With High Closet	46.75
		Water Front	4.95
7	2816	Balanced, Full Enameled, Legs and Base Synthetic Enamel baked on, Polished Top, Copper Reservoir, with High Shelf	53.50
		With High Closet	56.35
		Water Front	4.95
8	2800	Square, Plain Finish, Porcelain Enameled Doors, with High Shelf	29.75
		With High Closet	32.00
		White Enameled Splasher	1.00
		Water Front	4.95
9	2808	Balanced, Plain Finish, Porcelain Enameled Doors, Galvanized Reservoir, With High Shelf	39.00
		With High Closet	40.75
		White Enamel Splasher	1.50
		Water Front	4.95
10	1809	Square, Semi-Enameled Green-Ivory, Polished Top, With High Shelf	37.00
		With High Closet	39.75
		Water Front	4.95
11	1810	Balanced, Semi-Enameled, Green-Ivory, Polished Top, Galvanized Reservoir, With High Shelf	44.30
		With High Closet	47.75
		Water Front	4.95
12	1800	Square, Plain Finish, Ivory Panels (as shown), with High Shelf	28.75
		With High Closet	31.00
		Ivory Splasher	1.00
		Water Front	4.95
		Range only	24.50
13	1808	Balanced, Plain Finish, Ivory Panels (as shown), Galvanized Reservoir, With High Shelf	37.95
		With High Closet	39.85
		Ivory Splasher	1.50
		Water Front	4.95
		Range only	31.85

CATALOG
PAGE No. NUMBER

BOAT RANGES

PRICE

See Circular	6	ELI	2 cooking holes	11.75
See Circular	7	ELI	2 cooking holes	13.40
See Circular	7	MAUD	4 cooking holes	14.75

STEEL RANGES

14	6818	TIP TOP BEAUTY, Square, on Leg Base, with High Closet	44.25
		Copper Contact Reservoir	7.85
		Galvanized Contact Reservoir	6.55
		Water Front	4.95
14	6818	TIP TOP PERFECT, Square, Cabinet Base, with High Closet	41.75
		Copper Contact Reservoir	7.85
		Galvanized Contact Reservoir	6.55
		Water Front	4.95
14-A	68-16	TIP TOP STEEL PLATE, with High Closet	21.95
		Galvanized Reservoir	4.75
		Water Coil	2.15
14-B	16-CB	TIP TOP CABINET, Square, Semi-Enameled, Base Synthetic Enamel baked on, with Splasher	23.65
		With High Shelf	26.25
		With High Closet	27.85
		Water Pipe Coil	2.15
14-C	16-CBR	TIP TOP CABINET, Square, Semi-Enameled, Base Synthetic Enamel baked on, with Galvanized Contact Reservoir, with Splasher	28.35
		With High Shelf	31.00
		With High Closet	32.50
		Water Pipe Coil	2.15

COOK STOVES

TIP TOP BAKER

15	7-15-B	For Wood	10.95	47-15-B	For Coal	13.85
15	8-15-B	For Wood	12.95	48-15-B	For Coal	15.80
15	8-17-B	For Wood	16.95	48-17-B	For Coal	19.85
15	8-19-B	For Wood	19.65	48-19-B	For Coal	22.70

TIP TOP CONGRESS

15	8-16	For Wood	23.70	Water Coil, (either size)	2.50
15	8-18	For Wood	27.90	Reservoir	(Discontinued)

TIP TOP SUCCESS

15	7	For Wood	10.35	8	For Wood	12.25
----	---	----------	-------	---	----------	-------

COAL HEATERS

TIP TOP CIRCULATORS (*Brick Lined*)

Porcelain Enameled Casing

17	B-4-5	Boiler Plate Steel Inner Unit, Brick Lined	45.40
17	B-2-3	Boiler Plate Steel Inner Unit, Brick Lined	36.95

TIP TOP CIRCULATORS (*Cast-Iron Lined*)

Porcelain Enameled Casing

18	117	Cast Iron Inner Unit	29.85
18	119	Cast Iron Inner Unit	36.20

TIP TOP HOT BLAST (*Brick Lined*)

19	314	Round, with Front Feed Door	14.70
19	316	Round, with Front Feed Door	17.35
19	319	Round, with Front Feed Door	22.15

TIP TOP HOT BLAST (*Cast-Iron Lined*)

19	012	Low Type, no Front Door	9.90
19	212	Regular, with Front Door	13.95
19	214	Regular, with Front Door	18.25
19	216	Regular, with Front Door	20.90
19	218	Regular, with Front Door	24.80

TIP TOP ETNA

20	210	10.65	214	14.80
20	212	12.50	217	18.25

CATALOG		TIP TOP RICHMOND			
PAGE No.	NUMBER		PRICE	NUMBER	PRICE
20	212	14.15	216	19.10
20	214	16.55
TIP TOP TIDEWATER					
21	22	14.15	22 With Drum	15.85
21	24	19.20	24 With Drum	21.25
21	26	25.85	26 With Drum	28.00
TIP TOP IRON KING					
21	121	9.35	132	17.00
21	124	11.60	1320 With Drum	19.05
21	128	13.75		
TIP TOP BRAVO					
21	8	6.65	10	9.70
21	9	7.95	11	11.60
TIP TOP TANK					
22	112	Red Jacket Water Heater		9.85
TIP TOP LAUNDRY					
22	112			7.10
WOOD HEATERS					
TIP TOP BOX					
<i>All Cast-Iron</i>					
22	120	7.00	130	13.00
22	123	8.85	134	16.50
22	126	10.75
TIP TOP PLANET					
<i>Down Draft, Air-tight</i>					
23	18	5.80	24	7.85
23	21	6.65	27	12.65
		Nickel Rails Extra, All Sizes		1.20
		Cast Iron Back Collar Extra, All Sizes40
TIP TOP PEER					
<i>Down Draft, Cast Top and Bottom</i>					
24	120	With Black Foot Rails..	10.60	120 With Nickel Foot Rails.....	11.90
24	122	With Black Foot Rails..	12.45	122 With Nickel Foot Rails.....	13.80
24	124	With Black Foot Rails..	14.50	124 With Nickel Foot Rails.....	15.80
TIP TOP WINNER					
<i>Front Door, Cast Top and Bottom</i>					
24	120	With Black Foot Rails..	11.05	120 With Nickel Foot Rails.....	12.40
24	122	With Black Foot Rails..	13.05	122 With Nickel Foot Rails.....	14.40
24	124	With Black Foot Rails..	15.15	124 With Nickel Foot Rails.....	16.50
TIP TOP SUN					
<i>Down Draft, Air-tight</i>					
24	180	Flat Top, Lined, Top Collar		2.15
24	210	Flat Top, Lined, Top Collar		3.95
24	240	Flat Top, Lined, Top Collar		4.50
TIP TOP STAR					
<i>Flat Top</i>					
25	180	Unlined Top Collar	1.45	210 Lined Top Collar	2.25
25	180	Lined Top Collar	1.55	240 Lined Top Collar	2.75
		With Back Collars, All Sizes35
RICHMOND FURNACES					
26	1138	Pipeless—Complete....	97.50	Not Shown 138 Pipe Furnace...	87.75
26	1142	Pipeless—Complete....	128.75	Not Shown 142 Pipe Furnace...	103.00
26	1146	Pipeless—Complete....	158.75	Not Shown 146 Pipe Furnace...	127.00
26	1150	Pipeless—Complete....	223.50	Not Shown 150 Pipe Furnace...	134.40

